EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	29	(US-20040103275-$ or US-20040193513-$).did. or (US-6298383-$ or US-6539431-$ or US-6418466-$ or US-5764887-$ or US-5586260-$ or US-5544322-$).did. or (WO-2003025697-$ or US-6957199-$ or JP-10126405-$ or JP-10135945-$ or JP-11177582-$ or US-20020150091-$ or US-20030142673-$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:50
S2	29	S1 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:03
S3	233	(packet$4 with Forward$5) (AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS)) ((Uniform$3 near2 Resourc$4 near2 Locator$4) or (URL) or (HyperText$4 near2 Transfe$4 near2 Protocol$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:01
S4	132	(packet$4 with Forward$5) (AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS)) ((Uniform$3 near2 Resourc$4 near2 Locator$4)or (URL) or (web near2 (page$2 or site$2))) ((HyperText$4 near2 Transfe$4 near2 Protocol$4)or(HTTP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:02

EAST Search History

S5	14	(packet$4 with Forward$5) (AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS)) ((Uniform$3 near2 Resourc$4 near2 Locator$4)or (URL) or (web near2 (page$2 or site$2))) ((HyperText$4 near2 Transfe$4 near2 Protocol$4)or(HTTP)) (intercept$4 with request$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:03
S6	12	S5 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:22
S7	37	("20020010783" | "20020022483" | "20020026525" | "20020032766" | "20020075844" | "20020107971" | "20020147800" | "20030009561" | "20030051026" | "20030069973" | "20030093563" | "20030106067" | "20030126233" | "20030229809" | "20040001433" | "6006272" | "6023563" | "6128666" | "6154839" | "6292838" | "6370605" | "6434627" | "6490259" | "6502130" | "6539473" | "6591304" | "6643269" | "6654792" | "6747675" | "6748439" | "6801960" | "6832322" | "6870840" | "6912223" | "6912567" | "6981265" | "6982967").PN. OR ("7127524"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/10/24 18:19
S8	37	S7 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 18:22

S9	19	(US-20030035409-$ or US-20040103275-$ or US-20040193513-$).did. or (US-6704873-$ or US-7039037-$ or US-7127524-$ or US-5544322-$ or US-6418466-$ or US-6957199-$ or US-6298383-$ or US-5586260-$ or US-5764887-$ or US-6539431-$). did. or (WO-2003025697-$ or WO-2004079542-$ or US-20040103275-$ or JP-10135945-$ or JP-10126405-$ or JP-11177582-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2006/10/24 19:14
S10	18	(US-20040193513-$ or US-20040103275-$ or US-20030035409-$).did. or (US-6957199-$ or US-6539431-$ or US-6418466-$ or US-6298383-$ or US-5764887-$ or US-5586260-$ or US-5544322-$ or US-7127524-$ or US-7039037-$ or US-6704873-$). did. or (US-20040103275-$ or WO-2003025697-$ or JP-10135945-$ or JP-11177582-$ or JP-10126405-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2006/10/25 10:46

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10	RATHI-MANISH.in. SHARMA-RAJESH.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 20:00
S2	1065	713/182.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:01
S3	0	10/645459	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:03
S4	440	(packet$3 adj forwarding).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:06
S5	82	Management of authentication discovery policy in a computer network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:06
S6	0	Management of authentication discovery policy in a computer network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/10/23 20:06
S7	2	"6418466".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:12
S8	0	DNS HTTP IP URL RADIUS (authenticator near3 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:14

S9	0	(authenticator near3 discovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:14
S10	0	(authenticator near3 discovery).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:14
S11	8	(authentic$5 near3 discover$5).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/23 20:15
S12	3	S11 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 13:52
S13	30	("5202921" | "5241594" | "5276735" | "5349643" | "5434918" | "5455953" | "5481720" | "5491752" | "5495533" | "5495607" | "5502766" | "5511122" | "5544322" | "5586260" | "5596745" | "5649103" | "5655077" | "5678041" | "5684950" | "5706349" | "5764887" | "5777989" | "5818936" | "5867667").PN. OR ("6418466"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/10/23 20:20
S14	30	S13 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 17:04
S15	6	((Authentic$6 or Credential) with discover$5) (Credential$2 with (redirect$4 or forward$4 or manager$3 or Authent$6)) (packet$4 with Forward$5) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 13:55

S16	2	S15 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 13:55
S17	16	((Authentic$6 or Credential) same discover$5) (Credential$2 same (redirect$4 or forward$4 or manager$3 or Authent$6)) (packet$4 with Forward$5) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 14:57
S18	12	S17 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:03
S19	0	((Authentic$6 or Credential) same discover$5) (Credential$2 same (redirect$4 or forward$4 or manager$3 or Authent$6)) (packet$4 with Forward$5) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS)) ((Uniform$3 near2 Resourc$4 near2 Locator$4) or (URL) or (HyperText$4 near2 Transfe$4 near2 Protocol$4) or (HTTP))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:02
S20	10	((Authentic$6 or Credential) same discover$5) (Credential$2 same (redirect$4 or forward$4 or manager$3 or Authent$6)) (packet$4 with Forward$5) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS)) ((Uniform$3 near2 Resourc$4 near2 Locator$4) or (URL) or (HyperText$4 near2 Transfe$4 near2 Protocol$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:04

S21	10	S20 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:06
S22	0	((packet$4 with Forward$5).ti. or (packet$4 with Forward$5).ab.) ((Authentic$6 or Credential) same discover$5) (Credential$2 same (redirect$4 or forward$4 or manager$3 or Authent$6)) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS)) ((Uniform$3 near2 Resourc$4 near2 Locator$4) or (URL) or (HyperText$4 near2 Transfe$4 near2 Protocol$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:05
S23	14	((packet$4 with Forward$5).ti. or (packet$4 with Forward$5).ab.) ((Authentic$6 or Credential) same (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS)) ((Uniform$3 near2 Resourc$4 near2 Locator$4) or (URL) or (HyperText$4 near2 Transfe$4 near2 Protocol$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:12
S24	11	S23 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:38

S25	0	((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)).ti. (packet$4 with Forward$5) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS)) ((Uniform$3 near2 Resourc$4 near2 Locator$4) or (URL) or (HyperText$4 near2 Transfe$4 near2 Protocol$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:17
S26	0	((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)).ti. (packet$4 same Forward$5) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS)) ((Uniform$3 near2 Resourc$4 near2 Locator$4) or (URL) or (HyperText$4 near2 Transfe$4 near2 Protocol$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:18
S27	223	((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:18
S28	0	((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)).ti. ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS)) ((Uniform$3 near2 Resourc$4 near2 Locator$4) or (URL) or (HyperText$4 near2 Transfe$4 near2 Protocol$4) or (HTTP) or (web near2 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:19

EAST Search History

S29	0	((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)).ti. ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:20
S30	1	((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)).ti. ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:23
S31	65	((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)).ab. ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:24
S32	13	((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)).ab. ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 16:02
S33	7	S32 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 15:38
S34	196	((AAA or Authentic$6 or Credential or account or login) with (Forward$5 or interce$$5) with (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 16:05

S35	0	((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5)).ti. ((AAA or Authentic$6 or Credential or account or login) with (Forward$5 or interce$5) with (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 16:07
S36	0	((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5)).ti. ((AAA or Authentic$6 or Credential or account or login) same (Forward$5 or interce$5) same (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 16:08
S37	0	((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5)).ti. ((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 17:03
S38	13	((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5)).ab. ((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 17:06

S39	7	S38 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 17:09
S40	0	((packet$4 with Forward$5).ti.) (((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5)).ab.) ((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5) (redirect$4 or forward$4 or manager$3 or Authent$6 or discover$5)) ((Domain$3 near2 Name$3 ner2 System$$3) or (DNS)) ((Remote$3 near2 Authenticat$5 near2 Dial$3 near2 In near3 User$3 near3 Service$3) or (RADIUS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 17:08
S41	16	((packet$4 with Forward$5).ti.) and (((AAA or Authentic$6 or Credential or account or login) (Forward$5 or interce$5)).ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 17:09
S42	12	S41 @ad<"20030820"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/10/24 17:09
S43	15	(US-20040103275-$ or US-20040193513-$).did. or (US-6298383-$ or US-6539431-$ or US-6418466-$ or US-5764887-$ or US-5586260-$ or US-5544322-$). did. or (WO-2003025697-$ or US-6957199-$ or JP-10126405-$ or JP-10135945-$ or JP-11177582-$ or US-20020150091-$ or US-20030142673-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2006/10/24 17:48